



Junction: Rotherhithe New Road / Ilderton Road

Scenario 7: 'Sat Base' (FG7: 'Sat Base', Plan 1: 'No Peds')

Network Layout Diagram



Signal Timings Diagram




Network Results

Item	Lane Description	Lane Type	Full Phase	Arrow Phase	Num Greens	Total Green (s)	Arrow Green (s)	Demand Flow (pcu)	Sat Flow (pcu/Hr)	Capacity (pcu)	Deg Sat (%)	Total Delay (pcuHr)	Av. Delay Per PCU (s/pcu)	Mean Max Queue (pcu)
1/2+1/1	Rotherhithe New Road (E) Left Ahead	U	B		1	65	-	783	1915:1725	1173	66.7%	3.9	17.9	13.2
2/1	Ilderton Road Left	U	C		1	25	-	124	1757	408	30.4%	1.4	41.9	3.4
2/2	Ilderton Road Right	U	C		1	25	-	284	1809	420	67.6%	4.1	52.2	9.1
3/1+3/2	Rotherhithe New Road Ahead Right	U+O	A	J	1	74	-	685	1925:1742	1353	50.6%	2.9	15.3	7.1
		C1	PRC for Signalled Lanes (%):		33.1		Total Delay for Signalled Lanes (pcuHr):		12.36					
			PRC Over All Lanes (%):		33.1		Total Delay Over All Lanes(pcuHr):		12.36		Cycle Time (s):		112	


Junction: Ilderton Road / Zampa Road / Verney Road

Scenario 7: 'Sat Base' (FG7: 'Sat Base', Plan 1: 'Peds every cycle')

Network Layout Diagram



Signal Timings Diagram




Network Results


Item	Lane Description	Lane Type	Full Phase	Arrow Phase	Num Greens	Total Green (s)	Arrow Green (s)	Demand Flow (pcu)	Sat Flow (pcu/Hr)	Capacity (pcu)	Deg Sat (%)	Total Delay (pcuHr)	Av. Delay Per PCU (s/pcu)	Mean Max Queue (pcu)
1/1	Ilderton Road (N) Left Right Ahead	U	B		1	43	-	445	2037	1018	43.7%	2.1	17.2	7.3
2/1	Zampa Road Right Ahead Left	U	D		1	14	-	18	1712	292	6.2%	0.2	37.3	0.4
3/1	Ilderton Road (S) Ahead Right Left	U	A		1	43	-	387	1828	914	42.3%	1.9	17.4	6.3
4/1	Verney Road Left Ahead Right	U	C		1	14	-	120	1522	259	46.3%	1.5	45.7	3.1
C1						PRC for Signalled Lanes (%):	94.6	Total Delay for Signalled Lanes (pcuHr):			5.70			
						PRC Over All Lanes (%):	94.6	Total Delay Over All Lanes (pcuHr):			5.70	Cycle Time (s): 88		

Junction: Ilderton Road / Surrey Canal Road

Scenario 12: 'Sat Base' (FG9: 'Sat Base', Plan 1: 'Peds every cycle')
 Network Layout Diagram



Signal Timings Diagram




Network Results

Item	Lane Description	Lane Type	Full Phase	Arrow Phase	Num Greens	Total Green (s)	Arrow Green (s)	Demand Flow (pcu)	Sat Flow (pcu/Hr)	Capacity (pcu)	Deg Sat (%)	Total Delay (pcuHr)	Av. Delay Per PCU (s/pcu)	Mean Max Queue (pcu)
1/1	Ilderton Road (N) Ahead Left	U	B		1	33	-	466	1885	728	64.0%	3.7	28.8	10.1
2/1	Surrey Canal Road Right Left	U	C		1	16	-	282	1844	356	79.2%	4.5	56.9	8.3
3/1	Ilderton Road Ahead Right	O	A	D	1	42	4	512	1939	672	76.2%	4.9	34.7	12.7
C1					PRC for Signalled Lanes (%):		13.7	Total Delay for Signalled Lanes (pcuHr):		13.13				
					PRC Over All Lanes (%):		13.7	Total Delay Over All Lanes (pcuHr):		13.13		Cycle Time (s): 88		


Junction: Old Kent Road / Ilderton Road

Scenario 7: 'Sat Base' (FG7: 'Sat Base', Plan 1: 'Standard Plan')

Network Layout Diagram



Signal Timings Diagram



Network Results

Item	Lane Description	Lane Type	Full Phase	Arrow Phase	Num Greens	Total Green (s)	Arrow Green (s)	Demand Flow (pcu)	Sat Flow (pcu/Hr)	Capacity (pcu)	Deg Sat (%)	Total Delay (pcuHr)	Av. Delay Per PCU (s/pcu)	Mean Max Queue (pcu)
1/2+1/1	Ilderton Road Right Left	U	F	E	1	11:32	-	360	1802:1702	561	64.2%	2.5	25.4	4.4
2/2+2/1	Old Kent Road (E) Ahead	U	C		1	37	-	687	1935:1945	1537	44.7%	1.3	7.0	2.9
2/3	Old Kent Road (E) Right	U	D		1	13	-	362	1797	419	86.3%	5.1	50.6	8.6
3/2+3/1	Old Kent Road (W) Left Ahead	U	A		1	12	-	599	1935:1965	690	86.8%	6.7	40.4	8.1
3/3	Old Kent Road (W) Ahead	U	A		1	12	-	322	1925	417	77.2%	3.6	40.4	6.6
4/1	Ahead	U	B		1	33	-	460	1915	1085	42.4%	1.1	8.6	4.7
4/2	Ahead	U	B		1	33	-	458	1915	1085	42.2%	1.1	8.6	4.7
C1						PRC for Signalled Lanes (%):	3.6	Total Delay for Signalled Lanes (pcuHr):		21.49				
						PRC Over All Lanes (%):	3.6	Total Delay Over All Lanes(pcuHr):		21.49	Cycle Time (s): 60			

 GEOMETRIC DATA

I	DATA ITEM	I	MINOR ROAD B	I
I	TOTAL MAJOR ROAD CARRIAGEWAY WIDTH	I	(W) 7.50 M.	I
I	CENTRAL RESERVE WIDTH	I	(WCR) 0.00 M.	I
I		I		I
I	MAJOR ROAD RIGHT TURN - WIDTH	I	(WC-B) 2.20 M.	I
I	- VISIBILITY	I	(VC-B) 90.00 M.	I
I	- BLOCKS TRAFFIC	I	YES	I
I		I		I
I	MINOR ROAD - VISIBILITY TO LEFT	I	(VB-C) 22.0 M.	I
I	- VISIBILITY TO RIGHT	I	(VB-A) 18.0 M.	I
I	- LANE 1 WIDTH	I	(WB-C) 3.30 M.	I
I	- LANE 2 WIDTH	I	(WB-A) 0.00 M.	I

 .SLOPES AND INTERCEPT

(NB:Streams may be combined, in which case capacity will be adjusted)

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-C	STREAM	A-C	STREAM	A-B	I
I	654.35		0.24		0.09	I

I	Intercept For	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-A	STREAM	A-C	STREAM	A-B	STREAM	C-A	STREAM	C-B	I
I	508.41		0.22		0.09		0.14		0.31	I

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM C-B	STREAM	A-C	STREAM	A-B	I
I	626.08		0.23		0.23	I

(NB These values do not allow for any site specific corrections)

 TRAFFIC DEMAND DATA

I	ARM	I	FLOW SCALE(%)	I
I	A	I	100	I
I	B	I	100	I
I	C	I	100	I

Demand set: Site 4 - Ilderton Road / Stockholm Road_Saturday Base

TIME PERIOD BEGINS 13.45 AND ENDS 15.15

LENGTH OF TIME PERIOD - 90 MIN.
 LENGTH OF TIME SEGMENT - 15 MIN.

DEMAND FLOW PROFILES ARE SYNTHESISED FROM TURNING COUNT DATA

I	ARM	I	NUMBER OF MINUTES FROM START WHEN	I	RATE OF FLOW (VEH/MIN)	I
I		I	FLOW STARTS	I	BEFORE	I
I		I	TOP OF PEAK	I	AT TOP	I
I		I	IS REACHED	I	OF PEAK	I
I		I	FALLING	I	PEAK	I
I		I		I		I
I	ARM A	I	15.00	I	6.43	I
I	ARM B	I	15.00	I	0.11	I
I	ARM C	I	15.00	I	5.66	I

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
14.45-15.00									
B-AC	0.13	8.13	0.017		0.02	0.02	0.3		0.13
C-AB	1.02	8.69	0.117		0.20	0.14	2.2		0.13
A-B	0.82								
A-C	6.88								

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
15.00-15.15									
B-AC	0.11	8.49	0.013		0.02	0.01	0.2		0.12
C-AB	0.85	8.97	0.095		0.14	0.11	1.7		0.12
A-B	0.69								
A-C	5.76								

WARNING NO MARGINAL ANALYSIS OF CAPACITIES AS MAJOR ROAD BLOCKING MAY OCCUR

QUEUE FOR STREAM B-AC

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.0
14.15	0.0
14.30	0.0
14.45	0.0
15.00	0.0
15.15	0.0

QUEUE FOR STREAM C-AB

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.1
14.15	0.1
14.30	0.2
14.45	0.2
15.00	0.1
15.15	0.1

QUEUEING DELAY INFORMATION OVER WHOLE PERIOD

STREAM	TOTAL DEMAND (VEH)	DEMAND (VEH/H)	* QUEUEING * * DELAY *	(MIN)	(MIN/VEH)	* INCLUSIVE QUEUEING * * DELAY *	(MIN)	(MIN/VEH)
B-AC	12.4	8.3	1.6	0.13	1.6	0.13		
C-AB	93.6	62.4	13.5	0.14	13.5	0.14		
A-B	75.7	50.5						
A-C	631.8	421.2						
ALL	1343.4	895.6	15.1	0.01	15.1	0.01		

* DELAY IS THAT OCCURRING ONLY WITHIN THE TIME PERIOD
 * INCLUSIVE DELAY INCLUDES DELAY SUFFERED BY VEHICLES
 WHICH ARE STILL QUEUEING AFTER THE END OF THE TIME PERIOD
 * THESE WILL ONLY BE SIGNIFICANTLY DIFFERENT IF THERE IS
 A LARGE QUEUE REMAINING AT THE END OF THE TIME PERIOD.

*****END OF RUN*****

==== end of file =====

TRL LIMITED

(C) COPYRIGHT 2006

CAPACITIES, QUEUES, AND DELAYS AT 3 OR 4-ARM MAJOR/MINOR PRIORITY JUNCTIONS

PICADY 5.1 ANALYSIS PROGRAM
RELEASE 4.0 (SEPT 2008)

ADAPTED FROM PICADY/3 WHICH IS CROWN COPYRIGHT
BY PERMISSION OF THE CONTROLLER OF HMSO

FOR SALES AND DISTRIBUTION INFORMATION,
PROGRAM ADVICE AND MAINTENANCE CONTACT:
TRL SOFTWARE BUREAU
TEL: CROWTHORNE (01344) 770758, FAX: 770356
EMAIL: Software@trl.co.uk

THE USER OF THIS COMPUTER PROGRAM FOR THE SOLUTION OF AN ENGINEERING PROBLEM IS
IN NO WAY RELIEVED OF HIS/HER RESPONSIBILITY FOR THE CORRECTNESS OF THE SOLUTION

Run with file:-


"J:\17004\Transport\Working Documents\Junction Analysis\PICADY\Site 11 - Ilderton Road_Penarth St_Rollins St\
Ilderton Rd_Penarth St_Rollins St_Saturday.vpi"
(drive-on-the-left) at 09:28:40 on Wednesday, 22 December 2010

RUN INFORMATION

RUN TITLE : Ilderton Road / Penarth Street / Rollins Street_Saturday
LOCATION : Site 11
DATE : 17/12/10
CLIENT :
ENUMERATOR : drevans [CBH-DSK-228]
JOB NUMBER : 17004
STATUS :
DESCRIPTION :

MAJOR/MINOR JUNCTION CAPACITY AND DELAY

INPUT DATA



ARM A IS Ilderton Road (N)
ARM B IS Rollins Street
ARM C IS Ilderton Road (S)
ARM D IS Penarth Road

STREAM LABELLING CONVENTION

STREAM A-B CONTAINS TRAFFIC GOING FROM ARM A TO ARM B
STREAM B-AC CONTAINS TRAFFIC GOING FROM ARM B TO ARM A AND TO ARM C
ETC.

 GEOMETRIC DATA

I	DATA ITEM	I	MINOR ROAD B	I	MINOR ROAD D	I
I	TOTAL MAJOR ROAD CARRIAGEWAY WIDTH	I	(W) 7.40 M.	I	(W) 7.40 M.	I
I	CENTRAL RESERVE WIDTH	I	(WCR) 0.00 M.	I	(WCR) 0.00 M.	I
I		I		I		I
I	MAJOR ROAD RIGHT TURN - WIDTH	I	(WC-B) 2.20 M.	I	(WA-D) 2.20 M.	I
I	- VISIBILITY	I	(VC-B) 90.00 M.	I	(VA-D) 90.00 M.	I
I	- BLOCKS TRAFFIC	I	YES	I	YES	I
I		I		I		I
I	MINOR ROAD - VISIBILITY TO LEFT	I	(VB-C) 25.0 M.	I	(VD-A) 26.0 M.	I
I	- VISIBILITY TO RIGHT	I	(VB-A) 16.0 M.	I	(VD-C) 22.0 M.	I
I	- LANE 1 WIDTH	I	(WB-C) 4.00 M.	I	(WD-A) 4.00 M.	I
I	- LANE 2 WIDTH	I	(WB-A) 0.00 M.	I	(WD-C) 0.00 M.	I

 .SLOPES AND INTERCEPT

(NB:Streams may be combined, in which case capacity will be adjusted)

STREAM B-C

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-C	STREAM	A-C	STREAM	A-B	I
I	697.48		0.25		0.10	I

STREAM D-A

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM D-A	STREAM	C-A	STREAM	C-D	I
I	701.64		0.26		0.10	I

STREAM B-A

I	Intercept For	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-A	STREAM	A-C	STREAM	A-D	STREAM	D-A	STREAM	D-B	I
I	542.98		0.23		0.23		0.23		0.23	I

I	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM	A-B	STREAM	C-A	STREAM	C-B	STREAM	D-C	I
I		0.09		0.15		0.34		0.12	I

STREAM D-C

I	Intercept For	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM D-C	STREAM	C-A	STREAM	C-B	STREAM	B-C	STREAM	B-D	I
I	546.57		0.24		0.24		0.24		0.24	I

I	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM	C-D	STREAM	A-C	STREAM	A-D	STREAM	B-A	I
I		0.09		0.15		0.34		0.12	I

STREAM C-B

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM C-B	STREAM	A-C	STREAM	A-D	I
I	626.08		0.23		0.33	I

STREAM A-D

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM A-D	STREAM	C-A	STREAM	C-B	I
I	626.08		0.23		0.33	I

I	Intercept For I STREAM B-D	Slope For Opposing STREAM A-C	Slope For Opposing STREAM A-D	Slope For Opposing STREAM A-B	Slope For Opposing STREAM C-B	I
I	542.98	0.23	0.23	0.09	0.34	I

I	Slope For Opposing STREAM C-A	Slope For Opposing STREAM C-D	Slope For Opposing	Slope For Opposing	I
I	0.15	0.15			I

B-D Stream From Right Hand Lane

I	Intercept For I STREAM B-D	Slope For Opposing STREAM A-C	Slope For Opposing STREAM A-D	Slope For Opposing STREAM A-B	Slope For Opposing STREAM C-B	I
I	542.98	0.23	0.23	0.09	0.34	I

I	Slope For Opposing STREAM C-A	Slope For Opposing STREAM C-D	Slope For Opposing	Slope For Opposing	I
I	0.15	0.15			I

D-B Stream From Left Hand Lane

I	Intercept For I STREAM D-B	Slope For Opposing STREAM C-A	Slope For Opposing STREAM C-B	Slope For Opposing STREAM D-C	Slope For Opposing STREAM A-D	I
I	546.57	0.24	0.24	0.09	0.34	I

I	Slope For Opposing STREAM A-C	Slope For Opposing STREAM A-B	Slope For Opposing	Slope For Opposing	I
I	0.15	0.15			I

D-B Stream From Right Hand Lane

I	Intercept For I STREAM B-D	Slope For Opposing STREAM C-A	Slope For Opposing STREAM C-B	Slope For Opposing STREAM C-D	Slope For Opposing STREAM A-D	I
I	546.57	0.24	0.24	0.09	0.34	I

I	Slope For Opposing STREAM A-C	Slope For Opposing STREAM A-B	Slope For Opposing	Slope For Opposing	I
I	0.15	0.15			I

TRAFFIC DEMAND DATA

I	ARM	I	FLOW	SCALE(%)	I
I	A	I	100		I
I	B	I	100		I
I	C	I	100		I
I	D	I	100		I

Demand set: Ilderton Road / Penarth Street / Rollins Street_Saturday Base

TIME PERIOD BEGINS 13.45 AND ENDS 15.15

LENGTH OF TIME PERIOD - 90 MIN.
 LENGTH OF TIME SEGMENT - 15 MIN.

DEMAND FLOW PROFILES ARE SYNTHESISED FROM TURNING COUNT DATA

I	I	NUMBER OF MINUTES FROM START WHEN			RATE OF FLOW (VEH/MIN)			I
		I	I	I	I	I	I	
I	ARM	FLOW STARTS	TOP OF PEAK	FLOW STOPS	BEFORE	AT TOP	AFTER	I
I		TO RISE	IS REACHED	FALLING	PEAK	OF PEAK	PEAK	I
I	I	I	I	I	I	I	I	I
I	ARM A	15.00	45.00	75.00	4.18	6.26	4.18	I
I	ARM B	15.00	45.00	75.00	0.69	1.03	0.69	I
I	ARM C	15.00	45.00	75.00	7.99	11.98	7.99	I
I	ARM D	15.00	45.00	75.00	0.69	1.03	0.69	I

Demand set: Ilderton Road / Penarth Street / Rollins Street_Saturday Base

I		TURNING PROPORTIONS								I	
I		TURNING COUNTS								I	
I		(PERCENTAGE OF H.V.S)								I	
I		TIME								I	
I	TIME	FROM/TO	ARM	A	ARM	B	ARM	C	ARM	D	I
I	13.45 - 14.00	I	I	I	I	I	I	I	I	I	I
I		I	ARM A	0.000	0.057	0.862	0.081				I
I		I		0.0	19.0	288.0	27.0				I
I		I		(0.0)	(0.0)	(0.0)	(0.0)				I
I		I	I	I	I	I	I				I
I		I	ARM B	0.473	0.000	0.400	0.127				I
I		I		26.0	0.0	22.0	7.0				I
I		I		(0.0)	(0.0)	(0.0)	(0.0)				I
I		I	I	I	I	I	I				I
I		I	ARM C	0.951	0.022	0.000	0.027				I
I		I		608.0	14.0	0.0	17.0				I
I		I		(0.0)	(0.0)	(0.0)	(0.0)				I
I		I	I	I	I	I	I				I
I		I	ARM D	0.655	0.036	0.309	0.000				I
I		I		36.0	2.0	17.0	0.0				I
I		I		(0.0)	(0.0)	(0.0)	(0.0)				I
I		I	I	I	I	I	I				I

TURNING PROPORTIONS ARE CALCULATED FROM TURNING COUNT DATA

QUEUE AND DELAY INFORMATION FOR EACH 15 MIN TIME SEGMENT

FOR DEMAND SET Ilderton Road / Penarth Street / Rollins Street_Saturday Base
AND FOR TIME PERIOD 1

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	13.45-14.00										I
I	B-ACD	0.69	7.96	0.087		0.00	0.09	1.4		0.14	I
I	A-BCD	0.34	8.59	0.039		0.00	0.04	0.6		0.12	I
I	D-ABC	0.69	8.29	0.083		0.00	0.09	1.3		0.13	I
I	C-ABD	0.18	9.45	0.019		0.00	0.02	0.3		0.11	I

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	14.00-14.15										I
I	B-ACD	0.82	7.55	0.109		0.09	0.12	1.8		0.15	I
I	A-BCD	0.40	8.23	0.049		0.04	0.05	0.8		0.13	I
I	D-ABC	0.82	7.81	0.105		0.09	0.12	1.7		0.14	I
I	C-ABD	0.21	9.25	0.023		0.02	0.02	0.4		0.11	I

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	14.15-14.30										I
I	B-ACD	1.01	6.98	0.145		0.12	0.17	2.4		0.17	I
I	A-BCD	0.50	7.74	0.064		0.05	0.07	1.1		0.14	I
I	D-ABC	1.01	7.14	0.141		0.12	0.16	2.4		0.16	I
I	C-ABD	0.26	8.99	0.029		0.02	0.03	0.5		0.11	I

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
14.30-14.45									
B-ACD	1.01	6.98	0.145		0.17	0.17	2.5		0.17
A-BCD	0.50	7.74	0.064		0.07	0.07	1.1		0.14
D-ABC	1.01	7.14	0.141		0.16	0.16	2.4		0.16
C-ABD	0.26	8.99	0.029		0.03	0.03	0.5		0.11

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
14.45-15.00									
B-ACD	0.82	7.55	0.109		0.17	0.12	1.9		0.15
A-BCD	0.40	8.23	0.049		0.07	0.05	0.8		0.13
D-ABC	0.82	7.81	0.105		0.16	0.12	1.8		0.14
C-ABD	0.21	9.25	0.023		0.03	0.02	0.4		0.11

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
15.00-15.15									
B-ACD	0.69	7.95	0.087		0.12	0.10	1.5		0.14
A-BCD	0.34	8.59	0.039		0.05	0.04	0.6		0.12
D-ABC	0.69	8.29	0.083		0.12	0.09	1.4		0.13
C-ABD	0.18	9.45	0.019		0.02	0.02	0.3		0.11

WARNING NO MARGINAL ANALYSIS OF CAPACITIES AS MAJOR ROAD BLOCKING MAY OCCUR

QUEUE FOR STREAM B-ACD

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.1
14.15	0.1
14.30	0.2
14.45	0.2
15.00	0.1
15.15	0.1

QUEUE FOR STREAM A-BCD

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.0
14.15	0.1
14.30	0.1
14.45	0.1
15.00	0.1
15.15	0.0

QUEUE FOR STREAM D-ABC

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.1
14.15	0.1
14.30	0.2
14.45	0.2
15.00	0.1
15.15	0.1

 QUEUE FOR STREAM C-ABD

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
14.00	0.0
14.15	0.0
14.30	0.0
14.45	0.0
15.00	0.0
15.15	0.0

 QUEUEING DELAY INFORMATION OVER WHOLE PERIOD

I	STREAM	I	TOTAL DEMAND		I	* QUEUEING * * DELAY *		I	* INCLUSIVE QUEUEING * * DELAY *		I
I	I	I	(VEH)	(VEH/H)	I	(MIN)	(MIN/VEH)	I	(MIN)	(MIN/VEH)	I
I	B-ACD	I	75.7	50.5	I	11.5	0.15	I	11.5	0.15	I
I	A-BCD	I	37.2	24.8	I	5.0	0.13	I	5.0	0.13	I
I	D-ABC	I	75.7	50.5	I	11.1	0.15	I	11.1	0.15	I
I	C-ABD	I	19.3	12.8	I	2.2	0.11	I	2.2	0.11	I
I	ALL	I	1490.7	993.8	I	29.7	0.02	I	29.7	0.02	I

 * DELAY IS THAT OCCURRING ONLY WITHIN THE TIME PERIOD
 * INCLUSIVE DELAY INCLUDES DELAY SUFFERED BY VEHICLES
 WHICH ARE STILL QUEUEING AFTER THE END OF THE TIME PERIOD
 * THESE WILL ONLY BE SIGNIFICANTLY DIFFERENT IF THERE IS
 A LARGE QUEUE REMAINING AT THE END OF THE TIME PERIOD.
 *****END OF RUN*****

===== end of file =====